



PWRXF0.25-H4-1S-2/4


1/4 ton Electric Chain Hoist 1 Speed 208~240V / 440~480V 3 1/2 60HZ 13ft G100 Nickel Duty H4/M5

Características Esenciales

- 3 Años de Garantía, Partes y Servicios Disponibles en América

Especificaciones Técnicas

Paint Specifications	Electrostatic Sprayed Plastic (ESP) Epoxy resins, Polyester Resins, Barium, Pigments	Altura de Izaje Estandar (Customizable)	13 ft / 4 m
Optional Load Chain Brand & Country of Origin	FEC Japan	Velocidad /min	37.79 ft @60Hz 9.6 mt @50Hz
Recommended Hoist Protection Circuit Breaker AMPs and Type	Type D 15A at 220V and 10A at 460V	Numero de Velocidades	1 Speed
Power Cord Length and Phase Order	3 ft / Black L1 , Red L2 and Blue L3[]Green ground	Voltaje	3 Phase 208~240/440~480V 50/60Hz
Brake rectifiers-half-wave	PWRX-BKTF-HW	Potencia Total Watts	500
Overload Protection	Overload Motor Clutch	Clase de Servicio	H4/M5/2m/Class D
Pendant Control Emergency Stop	Yes	Tipo de Motor	TEFC
Pendant Control Yes No	Included	Protección IEC Motor	IP55
1st Package Type	Wood Crate	Control	Pendant Control IP66
Hoist Contactor Coil Voltage	48V	Voltaje del Control	48V
IEC Hoist IP Protection	IP55	Parada de Emergencia	Yes
Reducer Lubrication Type	Oil	Hoist Contactor Brand	Schneider
Load Chain weight per foot [lbs]	0.36	Tipo Transmisión / Reductor	Spur gearbox
Hoist Motor Insulation Grade	F	Tipo de Cadena	G100 Nickel
Brake rectifiers-full-wave	PWRX-BKTF-FW	Dimensiones de la Cadena	5mm
Hoist Motor Brake Type and DC Voltage	DC99V/DC207V	Caldas de Cadena	1
Hour Meter	Internal Working Hour Meter	Longitud de cadena	13
Hoist Motor Power in KW	0.5	Humedad	20%~90%
IEC Pendant Control Protection	IP66	Temperatura	-4 ~ 104° F / -20 ~ 40° C
Hoist UL Components	UL Listed Contactors	Normas	ASME HST-1 , ASME B30.16 , EN60204-36
Hoist Contactors Amps	10A	Garantía	3 Year
Capacidad de Carga	1/4 ton		



[Size list: mm]

Rated load (t)	Type	Minimum distance between hooks: H	A	B	D	E	I	M	N	K	L
0.25-0.5	PWRXF0.25-0.5-VS	399	447	217	337	179	31	16	20	35	31

Peso & Dimensiones

Peso Total	74.8 lbs / 34 Kg
-------------------	------------------

Detalles del Empaque

H Altura Muerta	15.16
W Ancho	12.01
A Altura Total	15.16
J Boca Gancho	1.38
D Depth	17.32
Peso Total (sin cable o cadena)	67.28

Referential Images / Imágenes Referenciales
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso