



1/2 ton Electric Chain Hoist 1 Speed 208~240V / 440~480V 3ph 60HZ


Características Esenciales

- 3 Años de Garantía, Partes y Servicios Disponibles en América

1/2 ton Electric Chain Hoist 1 Speed 208~240V / 440~480V 3ø 60HZ 13ft G100 Nickel Duty H4/M5

Especificaciones Técnicas

Pendant Control Yes No	Included	Altura de Izaje Estandar (Customizable)	13 ft / 4 m
Pendant Control Emergency Stop	Yes	Velocidad /min	31.49 ft @60Hz 8 mt @50Hz
Overload Protection	Overload Motor Clutch	Numero de Velocidades	1 Speed
Brake rectifiers-half-wave	PWRX-BKTF-HW	Voltaje	3 Phase 208~240/440~480V 50/60Hz
Paint Specifications	Electrostatic Sprayed Plastic (ESP) Epoxy resins, Polyester Resins, Barium, Pigments	Potencia Total Watts	750
Recommended Hoist Protection Circuit Breaker AMPs and Type	Type D 15A at 220V and 10A at 460V	Clase de Servicio	H4/M5/2m/Class D
Optional Load Chain Brand & Country of Origin	FEC Japan	Tipo de Motor	TEFC
Power Cord Length and Phase Order	3 ft / Black L1 , Red L2 and Blue L3□Green ground	Protección IEC Motor	IP55
Hoist Contactors Amps	10A	Control	Pendant Control IP66
Hoist UL Components	UL Listed Contactors	Voltaje del Control	48V
Hoist Contactor Coil Voltage	48V	Parada de Emergencia	Yes
IEC Hoist IP Protection	IP55	Hoist Contactor Brand	Schneider
IEC Pendant Control Protection	IP66	Tipo Transmisión / Reductor	Spur gearbox
Hoist Motor Power in KW	0.75	Tipo de Cadena	G100 Nickel
Hour Meter	Internal Working Hour Meter	Dimensiones de la Cadena	6.3mm
Hoist Motor Brake Type and DC Voltage	DC99V/DC207V	Caldas de Cadena	1
Brake rectifiers-full-wave	PWRX-BKTF-FW	Longitud de cadena	13
1st Package Type	Wood Crate	Humedad	20%~90%
Reducer Lubrication Type	Oil	Temperatura	-4 ~ 104° F / -20 ~ 40° C
Load Chain weight per foot [lbs]	0.58	Normas	ASME HST-1 , ASME B30.16 , EN60204-37
Hoist Motor Insulation Grade	F	Garantía	3 Year
Capacidad de Carga	1/2 ton		



[Size list: mm]

Rated load (t)	Type	Minimum distance between hooks: H	A	B	D	E	I	M	N	K	L
0.25-0.5	PWRXF0.25-0.5-VS	399	447	217	337	179	31	16	20	35	31

Peso & Dimensiones

Peso Total	74.8 lbs / 34 Kg
-------------------	------------------

Detalles del Empaque

H Altura Muerta	15.59
W Ancho	12.01
A Altura Total	15.59
J Boca Gancho	1.38
D Depth	17.32
Peso Total (sin cable o cadena)	64.49

Referential Images / Imágenes Referenciales
Specifications may change without notice / las especificaciones pueden cambiar sin previo aviso